
PRECISION FOR PRECISION

http://www.ewskorea.co.kr

ISO 9001 / 14001

EWS Turret & Tool holder



EWS EWS

HYUNDAI WIA

http://www.ewskorea.co.kr



•L2100Y(SY)

STD

- O.D TOOL HOLDER
- FACE TOOL HOLDER
- U-DRILL TOOL HOLDER
- AXIAL DRIVEN TOOL HOLDER
- RADIAL DRIVEN TOOL HOLDER

OPT


EWS EWS

STANDARD (mm)


① O.D TOOL HOLDER / 2.6525HC03



SM45C 7.1kg



TOP VIEW




RIGHT VIEW


② O.D TOOL HOLDER / 2.6525HC09



SM45C 5.3kg



TOP VIEW




RIGHT VIEW


③ FACE TOOL HOLDER / 5.6525HC03



SM45C 5.5kg



TOP VIEW




RIGHT VIEW


④ FACE TOOL HOLDER / 5.6525HC09



SM45C 5.6kg



TOP VIEW




RIGHT VIEW

경남 창원시 의창구 평산로 15 (팔용동 23-5) TEL : 055-267-8089 FAX : 055-262-3118 E-mail : ewskorea@ewskorea.co.kr

STANDARD (mm)


⑤ U-DRILL TOOL HOLDER / 17.18BMT50X62.5SKT2100IK





SM45C 5.4kg


TOP VIEW



RIGHT VIEW

⑥ AXIAL DRIVEN TOOL HOLDER / 40.65321809DW02






SM45C 3.3kg

ER32(Ø3~Ø20)
MAX, TORQUE : 50Nm
MAX, RPM : 5,000


FRONT VIEW



RIGHT VIEW

⑦ RADIAL DRIVEN TOOL HOLDER / 60.65321809DW02






SM45C 8.1kg

ER32(Ø3~Ø20)
MAX, TORQUE : 50Nm
MAX, RPM : 5,000

FRONT VIEW



RIGHT VIEW

경남 창원시 의창구 평산로 15 (팔용동 23-5) TEL : 055-267-8089 FAX : 055-262-3118 E-mail : ewskorea@ewskorea.co.kr

http://www.ewskorea.co.kr
L2100Y(SY)

주 문 서

우측의 체크박스에 주문사항을 표시하여 FAX로 보내주세요

S T A N D A R D (mm)



① O.D TOOL HOLDER / 2.6525HC03 ☐



② O.D TOOL HOLDER / 2.6525HC09 ☐



③ FACE TOOL HOLDER / 5.6525HC03 ☐



④ FACE TOOL HOLDER / 5.6525HC09 ☐



⑤ U-DRILL TOOL HOLDER / 17.18BMT50X62.5SKT2100IK ☐



⑥ AXIAL DRIVEN TOOL HOLDER / 40.65321809DW02 ☐



⑦ RADIAL DRIVEN TOOL HOLDER / 60.65321809DW02 ☐

회사명, 전화번호 기재 후 기타 필요한 사항 적어주세요.

회사명 :

전화번호 :

기타사항 :

경남 창원시 의창구 평산로 15 (팔용동 23-5) TEL : 055-267-8089 FAX : 055-262-3118 E-mail : ewskorea@ewskorea.co.kr


EWS

STANDARD (inch)


① O.D TOOL HOLDER / 2.65254HC03



SM45C 7.1kg



TOP VIEW




RIGHT VIEW


② O.D TOOL HOLDER / 2.65254HC09



SM45C 5.3kg



TOP VIEW




RIGHT VIEW


③ FACE TOOL HOLDER / 5.65254HC03



SM45C 5.5kg



TOP VIEW




RIGHT VIEW


④ FACE TOOL HOLDER / 5.65254HC09



SM45C 5.6kg



TOP VIEW




RIGHT VIEW

경남 창원시 의창구 평산로 15 (팔용동 23-5) TEL : 055-267-8089 FAX : 055-262-3118 E-mail : ewskorea@ewskorea.co.kr


STANDARD (inch)

⑤ U-DRILL TOOL HOLDER / 17.18BMT508X62.5SKT2100IK





TOP VIEW




RIGHT VIEW


SM45C 5.4kg

⑥ AXIAL DRIVEN TOOL HOLDER / 40.65321809DW02





FRONT VIEW




RIGHT VIEW

SM45C 3.3kg


ER32(Ø3~Ø20)
MAX, TORQUE : 50Nm
MAX, RPM : 5,000

⑦ RADIAL DRIVEN TOOL HOLDER / 60.65321809DW02





FRONT VIEW



RIGHT VIEW

SM45C 8.1kg

ER32(Ø3~Ø20)
MAX, TORQUE : 50Nm
MAX, RPM : 5,000

경남 창원시 의창구 평산로 15 (팔용동 23-5) TEL : 055-267-8089 FAX : 055-262-3118 E-mail : ewskorea@ewskorea.co.kr

주 문 서

우측의 체크박스에 주문사항을 표시하여 FAX로 보내주세요

S T A N D A R D (inch)



① O.D TOOL HOLDER / 2.65254HC03 ☐



② O.D TOOL HOLDER / 2.65254HC09 ☐



③ FACE TOOL HOLDER / 5.65254HC03 ☐



④ FACE TOOL HOLDER / 5.65254HC09 ☐



⑤ U-DRILL TOOL HOLDER / 17.18BMT508X62.5SKT2100IK ☐



⑥ AXIAL DRIVEN TOOL HOLDER / 40.65321809DW02 ☐



⑦ RADIAL DRIVEN TOOL HOLDER / 60.65321809DW02 ☐

회사명, 전화번호 기재 후 기타 필요한 사항 적어주세요.

회사명 :

전화번호 :

기타사항 :

경남 창원시 의창구 평산로 15 (팔용동 23-5) TEL : 055-267-8089 FAX : 055-262-3118 E-mail : ewskorea@ewskorea.co.kr

MEMO

경남 창원시 의창구 평산로 15 (팔용동 23-5) TEL : 055-267-8089 FAX : 055-262-3118 E-mail : ewskorea@ewskorea.co.kr



이더블유에스 코리아(주)
경상남도 창원시 의창구 평산로 15 (팔용동 23-5)
TEL:055-267-8089 FAX:055-262-3118
E-mail:ewskorea@ewskorea.co.kr
http://www.ewskorea.co.kr

EWS KOREA Co.,Ltd.
15·Pyeongsan-ro Uichang-gu Changwon-si
Gyeongsangnam-do KOREA
TEL:+85 55-267-8089
FAX:+82 55-262-3118
E-mail:ewskorea@ewskorea.co.kr

2017년 11월 20일 제작

연 락 처

본 카탈로그의 내용은 제품향상을 위해 예고없이 변경될 수 있습니다
171120-00 / 000000-01